

**TERMS, CONDITIONS & SPECIFICATION FOR
SUPPLY OF PRINTING & IEC MATERIALS
FOR
ANGUL DISTRICT**

Name of the District / Health Institution: Angul
(HEALTH & F.W. DEPTT., GOVT. OF ORISSA)

Bid Reference No. –C.D.M. & P.H.O. Angul (312 /02.02.2024)

**TENDER DOCUMENT
FOR SUPPLY OF PRINTING & IEC MATERIALS**

Bid document may be downloaded from Web site : **www.angul.nic.in**

LAST DATE & TIME OF RECEIPT OF BID DOCUMENTS : **Dt. 28th February, 2024
till 5:00 PM**

DATE & TIME OF OPENING OF TECHNICAL BID : **Dt. 29th February, 2024
at 11:00 AM**

DATE OF OPENING OF FINANCIAL BID : **Will be intimated after
Finalization of Technical
Bid.**

PLACE OF OPENING OF BID DOCUMENTS
AND
ADDRESS FOR COMMUNICATION : **O/o CDM & PHO, Angul**
AND
RECEIPT OF BID DOCUMENTS : **District HQ Hospital
At/Po/Dist – Angul
PIN – 759122**

Tel: 06764 – 231150 Email id: **dpmuang@ymail.com**

OFFICE OF THE CDM & PHO: ANGUL

TENDER DOCUMENTS FOR SUPPLY OF PRINTING & IEC/BCC MATERIALS

Terms & Conditions

1. Sealed Quotations are invited from interested reputed firms/ agencies having adequate experience in all types of printing items i.e., poster, leaflet, flex, erection of hoardings, Cloth Banner & branding works. The firm/ agency should have valid DIC / MSME, PAN No., GST registration certificate etc. as detailed mentioned in technical bid of Tender Form (part-1). Photo copy of all documents should be submitted along with bid documents.
2. The tender document should reach in prescribed format to the office of "**Chief District Medical & Public Health Officer, District Headquarter Hospital Campus, Angul-759122**" only through Speed Post / Regd. Post / courier on or before **Dt. 28.02.2024 till 5.00 P.M.** The envelope must be super-scribed by "**TENDER DOCUMENTS FOR SUPPLY OF PRINTING & IEC/BCC MATERIALS**". The tender shall be opened on **Dt. 29.02.2024 at 11.00AM** at DTU, NHM, Angul in the presence of bidders or their authorized representative.
3. Interested bidders can obtain detailed terms and conditions from the website for taking up this assignment. The bidder can download the tender documents from district website **www.angul.nic.in**. (Address of district website).
4. Bid will be submitted in two parts i.e. **Technical Bid (Cover – A)** and **Financial Bid (Cover – B)**. The bidders should give their technical and financial proposal separately in two envelopes and both should be put into third cover which should be super scribed as "**Tender Documents for Supply of Printing & IEC/BCC Materials**".
5. The organisation must ensure provision of service in Angul as and when required by the authority. The bidder has to keep a clause in affidavit that he agrees to ensure provision of service in Angul. Bidder is liable to be black listed with forfeiture of security deposit, if he/she fails to comply or makes deviation in providing service/ delivery of printing materials in time, if so, observed by the competent authority.
6. The bidder should not have any past record of poor performance. The bidder has to submit an affidavit in this regard. The agency who had not supplied materials against the purchase order earlier or executed work order after being finalized as L-1 bidder in the process is not eligible to participate in the tender process. No further arguments in this matter will be entertained.
7. Bidder is required to submit tender documents in the sequence provided in **Technical Bid Cover – A** after assigning annexure nos. to the photo copy of documents submitted otherwise bid submitted will be rejected. Bids received with changes in the formats published will be liable to be rejected. **If any bidder changes the format of either Technical Bid (Cover – A) or Financial Bid (Cover – B) then his bid will be out rightly rejected without assigning any reason thereof.**
8. **Bidder has to quote single rate for a single item in the financial bid. If any bid found with multiple rates for single item, then it will be out rightly rejected without any further arguments.**
9. The organisation should have minimum three (3) Years of experience in all types of printings such as poster, leaflet, flex, cloth banner, painting & branding works. Organization will have to produce photo copy of work orders from any Govt. Organisation only. Years of experience will be calculated from the date of first work order received from any Govt. Organisation in relation to printing of materials as detailed in the list of items for printing materials and not from the date of incorporation of the organisation.

10. The average annual turnover of the organization must not be less than **Rs 30, 00,000/- (Rupees Thirty Lakhs Only)** during last three financial years i.e. 2020-21, 2021-22 & 2022-23. A certificate duly filled by the Auditor/Chartered Accountant (as per annexure) must be submitted along with the tender document.
11. Photocopy of latest **GST return** should be submitted with tender documents.
12. Organization will have to submit photocopies of audit reports for last 3 financial years i.e. for **F.Y-2020-21, 2021-22 and 2022-23** along with IT return copies of said years.
13. Bidder will have to submit Demand Draft of **Rs. 2,000/-(Rupees Two Thousand only)** as tender paper cost (non-refundable) in favour of **ZSS, Non-NRHM, Angul** along with bid document.
14. Bid documents must be accompanied with EMD of **Rs 20,000/-(Rupees Twenty Thousand only)** in shape of Demand Draft drawn on any Nationalized Bank in favour of **ZSS, Non-NRHM, Angul** payable at **Angul**. Bid documents without EMD will be summarily rejected. EMD of unsuccessful bidders will be returned without interest on finalization of tender. EMD of successful bidder will be retained as Security Deposit & will be refunded without interest only after completion of one year from the date of finalisation of tender. Security deposit is liable to be forfeited if bidder violates or fails to comply with the terms and conditions of the tender.
15. The firm having valid DIC/MSME registration certificate are exempted to deposit tender paper cost & EMD. However, photocopies of registration certificate & exemption certificate must be submitted along with the technical bid. But after selection, the L1 bidder should submit **Rs 20,000/-(Rupees Twenty Thousand only)** in shape of Demand Draft drawn on any Nationalized Bank in favour of **ZSS, Non-NRHM, Angul** payable at **Angul** as security deposit.
16. **The organization will have to submit a Single Affidavit with following clauses: -**
 - a. It has not been blacklisted by any Government Organization. The organization does not have any legal suit / criminal case pending against it for violation of Income Tax Act, GST or any other law of India.
 - b. That the organization agrees to abide by all terms & conditions of the tender.
 - c. That the organization agrees to ensure provision of service in Angul.
 - d. That the organization had never refused to supply any item after receipt of work order from this office for any reason.
17. All documents submitted must be signed by the authorised signatory of the organisation with seal.
18. Order for printing will be done throughout the year in phase manners and not in a single works contract during the valid period of contact as per requirement.
19. The organization will quote prices exclusive of all taxes & charges. The CDM & PHO, Angul will have no liability regarding transportation, loading, unloading of materials and all material ordered shall be delivered at the designated place in good condition and fixing the material at institution level as per order. The defective or damaged printed materials if any have to be replaced by the supplying agency. The delivery must be actual as per quantity ordered which will be verified after delivery and no process damage will be entertained.
20. The order for change of flex/fabric in hoardings in the district & block must be completed within 7 to 15 days after issue of work order.

21. If there is any contradiction between price quoted in figure and word then price quoted in word shall prevail over price quoted in figure.
22. **Conditional bids are liable to be rejected.** In the event of acceptance, CDM & PHO, Angul decision will be final. Bids which are not as per required specifications will not be considered.
23. The CDM & PHO, Angu will not pay any advance payment to the organisation. The organisation will have to carry out the entire job on its own and the amount will be paid only after satisfactory completion of the job and submission of bill in this regard. The approved agency shall have to submit the photographs & certificates from the competent authority after completion of works i.e. wall painting, change of flex at hoardings, mounting of IEC materials etc. at block level & its peripheral area for release of payment.
24. The bidders have to submit the sample copies of different specifications of papers (duly signed & sealed) to be used in printing materials (**wherever required**) as mentioned in **Annexure – A**. The cost towards the testing of samples will be borne by the successful bidder if any. The sample papers should be duly signed & sealed by the authorized signatory of the applying firm.
25. Selection of the item will be on the basis of quality of sample finalised by the committee members wherever applicable.
26. Bidders are not allowed to check bid documents of another bidder in any circumstances except sample papers submitted by bidders.
27. Under no circumstance, the organization shall not appoint any sub-contractor or sublease the contract. If it is found that the organization has violated these conditions the contract will be terminated forthwith without any notice and security deposited by the organization shall be forfeited.
28. **The rate approved will be valid for one year from the date of finalisation of tender.** The successful bidder is required to provide printing materials as per requirements placed by any of the wings of CDM & PHO, Angul during the valid period of tender.
29. Only bidder himself or his authorised representative is allowed to remain present during opening of the tender. No authorised representative is allowed without proper authorisation from bidder.
30. The CDM & PHO, Angul reserves the right to accept or reject all or any of the bid documents without assigning any reasons thereof.
31. All legal disputes are subject to the jurisdiction of Angul Court only.

**Chief District Medical & Public Health Officer
Angul**

RFP FORMATS

SUPPLY OF PRINTING & IEC MATERIALS FOR ANGUL DISTRICT

TECHNICAL BID

Cover – A
Technical Bid

Sl No	Particulars	(Clearly mention complete details required, don't mention only yes / no or annexure no here) Anne -xure No
1.	Name of the Organisation	
2.	Address of the Organisation	
3.	Name of the Authorised Signatory (In capital letter)	
4.	Authorisation & Specimen signature of the authorised signatory	
5.	Telephone No/ Mobile No of the Authorised Signatory/ Organisation.	
6.	DIC / MSME (<i>Attach photo copy of DIC / MSME registration certificate</i>)	
7.	PAN No of the organisation / Proprietor / Managing Partner /Director of the organisation (Attach photo copy of PAN Card)	
8.	GST registration certificate (Attach photo copy of registration certificate)	
9.	The organisation must have three Years of experience in all types of printings such as poster, leaflet, flex, erection of hoardings & branding works. (Attach photo copies of work orders received from any Govt. organisation on printing materials).	
10.	Auditor/Chartered Accountant certificate in support of average annual turnover of Rs 30,00,000/- (Rupees Thirty Lakhs Only) or more during last three financial years i.e.,2020-21, 2021-22 & 2022-23(Attach photo copy of CA certificate)	
11.	Audit reports for last 3 financial years (i.e., for F.Y-2020-21, 2021-22 and 2022-23) along with IT return copies of said years (Attach photo copies of Audit reports & IT return copies)	
12.	<p><u>The organization will have to submit Single Affidavit in Rs 20/- non-judicial stamp paper with following clauses:-</u></p> <p>1. It has not been blacklisted by any Government Organization.The organization does not have any legal suit / criminal case pending against it for violation of IT, Service tax, GST or any other law.</p>	

	<p>2. That the organization agrees to abide by all terms & conditions of tender.</p> <p>3. That the organization agrees to ensure provision of service in Bargarh.</p> <p>4. That the organization had never refused to supply any item after receipt of work order from this office for any reason.</p>	
13.	Latest GST return copy (Photocopy to be attached)	
14.	Tender paper cost in shape of Demand Draft of Rs. 2,000/- (Rupees Two Thousand only)	Details of Demand Draft along with details of Drawee Bank
		Draft No:
		Name of the Bank :
		Branch address:
	Amount (Rs.):	
15.	EMD in shape of Demand Draft of Rs.20,000/- (Rupees Twenty Thousands only)	Details of Demand Draft along with details of Drawee Bank
		Draft No:
		Name of the Bank :
		Branch address:
	Amount (Rs.):	
16.	Whether all documents submitted signed by the authorised signatory of the organisation (Yes / No)	

DECLARATION

I / We hereby declare that, the terms and conditions, specification etc. given with the tender notice have been read carefully and it is acceptable to me/us and that the information furnished above is full and correct to the best of my / our knowledge. I/ We understand that in case of any deviation in the above statement at any state, the Firm/Agency will be blacklisted and will not have any dealing with it in future.

Place :
Date :

Seal & Signature of authorised Signatory
Mobile No:

RFP FORMATS

SUPPLY OF PRINTING & IEC MATERIALS FOR ANGUL DISTRICT

FINANCIAL BID

Financial Bid (Cover-B)

Sl No	Name of the Item	Specification	Unit of Measure	Rate quoted		
				In Figures	In words	
1.	Swasthya Kantha Calendar	Paper Size – 75cm X 50cm, Paper quality – 170 GSM Art Paper, Process – Multi colour (4 colour) printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right.	Per Calendar			
2.	IEC Calendar for School	Size of each sheet of calendar – 91 cm X 58.5 cm, No of sheet in each calendar – 10 sheets, Paper to be used :- 220 GSM Art Paper, Colour :- Multi colour, BINDING :- Each sheet both side Glossy lamination, Top wired with hanger, Calendar is packed with a strong Polythene bag/Envelope size – 24” X 37”	Per Calendar			
3.	Poster	Poster Size:- 44 cm X 56cm, Paper quality :- 170 GSM Art paper, Process :- Multi colour printing.	Per Poster			
4.		Poster Size:- 44 cm X 56cm, Paper quality :- 130 GSM Art paper, Process :- Multi colour printing.	Per Poster			
5.		Poster Size:- 44 cm X 56cm, Paper quality :- 90 GSM Art paper, Process :- Multi colour printing.	Per Poster			
6.		Poster Size:- 44 cm X 56cm, Paper quality :- 170 GSM Art paper, Process :- Multi colour printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right	Per Poster			
7.		Poster Size:- 44 cm X 56cm, Paper quality :- 130 GSM Art paper, Process :- Multi colour printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right.	Per Poster			
8.		Poster Size:- 44 cm X 56cm, Paper quality :- 90 GSM Art paper, Process :- Multi colour printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right.	Per Poster			
9.		Poster Size:- 58.5 cm X 91cm, Paper quality :- 130 GSM Art paper, Process :- Multi colour printing,	Per Poster			
10.		Leaflet	Paper size- 22 cm X 28 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour Single side Printing	Per Leaflet		
11.			Paper size- 22 cm X 28 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour Both side Printing	Per Leaflet		
12.	Paper size- 22 cm X 28 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour Single side Printing		Per Leaflet			
13.	Paper size- 22 cm X 28 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour Both side Printing		Per Leaflet			
14.	Paper size- 15.5 cm X 21.8 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour single side Printing		Per Leaflet			
15.	Paper size- 15.5 cm X 21.8 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour Both side Printing		Per Leaflet			
16.	Paper size- 15.5 cm X 21.8 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour single side Printing		Per Leaflet			
17.	Paper size- 15.5 cm X 21.8 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour Both side Printing		Per Leaflet			
18.	Paper size- A4, Paper quality- 90 GSM Art Paper, Process- Multicolour Single side Printing		Per Leaflet			
19.	Paper size- A4, Paper quality- 90 GSM Art Paper, Process- Multicolour Both side Printing	Per Leaflet				
20.	Handout Brochure	Paper size- 15” X 10”, Paper quality- 170 GSM Art Paper, Process- Multicolour Both side Printing	Per Brochure			
21.	Folder	Paper Size- 44 cm X 28 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing	Per Folder			

22.	Folder	Paper Size- 44 cm X 28 cm, Paper quality- 170 GSM Art paper, Multi-colour both side printing	Per Folder		
23.		Paper Size- 36 cm X 24.5 cm, Paper quality- 220 GSM Art paper, Multi-colour both side printing	Per Folder		
24.		Paper Size- 36 cm X 24.5 cm, Paper quality- 170 GSM Art paper, Multi-colour both side printing	Per Folder		
25.		Paper Size- 28 cm X 14 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing	Per Folder		
26.		Paper Size- 28 cm X 14 cm, Paper quality- 170 GSM Art paper, Multi colour both side printing	Per Folder		
27.		Paper Size- 29.7 cm X 21 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing	Per Folder		
28.		Paper Size- 29.7 cm X 21 cm, Paper quality- 170 GSM Art paper, Multi colour both side printing	Per Folder		
29.		IPC Folder	Paper Size- A4, Paper quality- 130 GSM Art paper, Multi colour both side printing, 2 fold	Per Folder	
30.	Family Folder	Paper Size- ¼ Demy, Paper quality-90 GSM Art paper, B/W single side printing	Per Folder		
31.	FAQ	Paper Size- 22 cm X 28 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing	Per FAQ		
32.	Patient Treatment Card/Booklet	Paper size – 28cmX22cm, Total 6 sheets, Cover page-220 GSM Art paper, Inner page-90 GSM Art paper, Printing process: Multicolour both side printing, Post Process: Single fold & stapling in the middle of the booklet page wise, resulting to 24 pages of 14cm X 22 cm booklet.	Per Booklet		
33.	Patient Card (District NCD Clinic/ Mental Health)	Size: ¼ Demy Total No. of Pages: 36 Paper: 32 pages: 80 GSM Maplitho Paper, Brightness: 77 (Minimum), Both sideSingle-Colour Printing 4 pages: 90 GSM Maplitho Paper, Brightness: 77 (Minimum) Printing Both side Multi-Colour Printing Binding: Centre Stitching	Per Booklet		
34.	Patient Card (District NCD Clinic/ Mental Health)	Size: ¼ Demy Total No. of Pages: 20 Paper: 16 pages: 80 GSM Maplitho Paper, Brightness: 77 (Minimum), Both sideSingle-Colour Printing 4 pages: 90 GSM Maplitho Paper, Brightness: 77 (Minimum) Printing Both side Multi-Colour Printing Binding: Centre Stitching	Per Booklet		
35.	Patient Card (District NCD Clinic/ Mental Health)	Size: ¼ Demy Total No. of Pages: 20 Paper: 18 pages: 80 GSM Maplitho Paper, Brightness: 77 (Minimum), Both sideSingle-Colour Printing 2pages: 90 GSM Maplitho Paper, Brightness: 77 (Minimum) Printing Both side Multi-Colour Printing Binding: Centre Stitching	Per Booklet		
36.	Booklet	Paper Size-28 cm X 21 cm, Total – 10 sheets multi colour both side print, Cover page -220 GSM Art paper, Inside page – 90 GSM brightening white Maplittho paper, Post Process:- single fold and stapling in the middle of the booklet	Per Booklet		
37.		Paper Size-42 cm X 27 cm, Total – 10 sheets multi colour both side print, Cover page -220 GSM Art paper, Inside page – 90 GSM brightening white Maplittho paper, Post Process:- single fold and stapling in the middle of the booklet	Per Booklet		

38.	NCD/RCH Booklet	No. of Sheets: 30 (15 Sheets marked as Original + 15 Sheets marked as Duplicate) with one carbon sheet in each booklet. Printing Type (Inner Sheets): Single side, Black & White 1st Sheet of the Booklet shall be printed as "Original" and next sheet shall be printed as "Duplicate" (for taking carbon copy) and this will be repeated in the remaining sheets of the booklet. Paper size : ¼ Demy Paper: Original Sheet (White Colour) — 75 GSM Maplitho, Brightness : 80 (Minimum) Duplicate Sheet (Yellow Colour)- 54 GSM Maplitho Binding Type: Top Pad binding with stapling with hard board on back side. Cover Page: 1 cover page on the front (80 GSM Maplitho Single sided Black Printing as HBYC Checklist for ASHA Perforation: Perforation at the top of the Pad Binding (in Original sheet of the booklet only)	Per Booklet		
39.	Sterilization operation Consent Form/ Booklet	Paper size – 44cmX28cm, Total pages - 4 sheets, Paper quality : 60 GSM Maplitho paper, white bright, Black-White both side printing, Post Process: Single fold & stapling in the middle of the booklet page wise, resulting to 16 pages of 22cm X 28 cm booklet.	Per Booklet		
40.	ASHA Incentive claim voucher pad for 13 activity	Paper size – A4, Total no of pages – 36 (32 inner pages + 4 cover pages) Black & white single side printing (perforated) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding	Per Pad		
41.	ASHA Incentive claim voucher pad for rest 50 activity	Paper size – A4, Total no of pages – 68 (64 inner pages + 4 cover pages) Black & white single side printing (perforated) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding	Per Pad		
42.	ASHA Grade card (Mo Dakhyata)	Paper size – 1/4 demy, Paper quality – 220 GSM drawing sheet, single side multicolour offset printing	Per Card		
43.	Sector Meeting Register	Paper size – 30cmX20cm, Total pages- 88 (84 inner + 4 cover page) Paper quality – Inner page – 70 GSM, Cover Page- 70 GSM maplitho to be pasted on hard board binding after printing, Inner printing- black & white both side, Cover printing- multicolour offset printing, Post process:- binding with hard card board and cloth	Per Register		
44.	HBNC Format	Size- 1/4 demy, Total pages-12, Paper quality- 80 GSM maplitho, Brightness-77 (minimum), Both side B/W printing, Post Process- Binding centre stitching with 2 nos. of perforation in last page	Per Pad		
45.	Cross Checking Format	Size: Legal, Total pages-100, Paper Quality- 70 GSM, Printing- Single side B/W	Per Pad		
46.		Size: A4, Total pages-30, Paper Quality- 70 GSM, Printing- Single side B/W, Post Process- Both side thick binding	Per Pad		
47.	NLEP Format	Size: A4, Total pages-80, Paper Quality- 70 GSM, Printing- Single side B/W, Post Process- Both side thick binding	Per Pad		
48.		Size: A4, Total pages-100, Paper Quality- 70 GSM, Printing- Single side B/W, Post Process- Both side thick binding	Per Pad		
49.	Hand Book for vaccine & cold chain handlers	Cover Page-240 GSM Art paper & Inner page- 170 GSM Art paper, Paper size 28 cm X 21.5 cm, Total sheet – 120 sheet, Multi colour printing both side, Post Process- Binding	Per Book		

50.	SNCU Docket	Paper size – 30.5 cm X 48 cm, Paper quality – 220 GSM, Single fold with inside pocketing, Pocket size – 11 cm X . 24 cm in 220 GSM paper, Printing Process – Multi colour single side print on pocket & docket.	Per Docket		
51.	Printing of Forms Black & White	Paper size- A4, Quality -70 GSM, Printing-Single side	Per Sheet		
52.		Paper size- A4, Quality -70 GSM, Printing-Both side	Per Sheet		
53.		Paper size- A3, Quality -70 GSM, Printing-Single side	Per Sheet		
54.		Paper size- A3, Quality -70 GSM, Printing-Both side	Per Sheet		
55.		Paper size- A2, Quality -70 GSM, Printing-Single side	Per Sheet		
56.		Paper size- A2, Quality -70 GSM, Printing-Both side	Per Sheet		
57.		Paper size- Legal- FS, Quality -70 GSM, Printing- Single side	Per Sheet		
58.		Paper size- Legal- FS, Quality -70 GSM, Printing- Both side	Per Sheet		
59.	Printing of Forms Multi colour	Paper size- A4, Quality -130 GSM, Printing-Single side	Per Sheet		
60.		Paper size- A4, Quality -130 GSM, Printing-Both side	Per Sheet		
61.		Paper size- A3, Quality -130 GSM, Printing-Single side	Per Sheet		
62.		Paper size- A3, Quality -130 GSM, Printing-Both side	Per Sheet		
63.		Paper size- A2, Quality -130 GSM, Printing-Single side	Per Sheet		
64.		Paper size- A2, Quality -130 GSM, Printing-Both side	Per Sheet		
65.		Paper size- Legal- FS, Quality -70 GSM, Printing- Single side	Per Sheet		
66.	Report Pad	Paper size – 14.5 cm X 21 cm, 70 GSM, 100 sheet single side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad		
67.		Paper size – 14.5 cm X 21 cm, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad		
68.		Paper size – 29.5 cm X 21 cm or A-4, 70 GSM, 100 sheet single side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad		
69.		Paper size – 29.5 cm X 21 cm or A-4, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad		
70.		Paper size – A3, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad		
71.		Paper size – A3, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad		
72.		Paper size – A2, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad		
73.		Paper size – A2, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad		
74.		Paper size – FS Ledger paper, 100 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad		
75.		Paper size – 32 x 20 cm, 100 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad		
76.	OPD Register/IPD Register	Paper size – A3, Paper quality –80 GSM, 200 Sheet, Both side B/W printing, Post Process – Left side Thread stitching & binding with 170 GSM hard board with full	Per Register		

		cloth			
77.	Labour Room Register	Paper size – A3, Paper quality – 80 GSM, 200 Sheet, Both side B/W printing, Post Process – Left side Thread stitching & binding with 170 GSM hard board with full cloth	Per Register		
78.	Malaria Register	Paper size – A3, Paper quality – 80 GSM, 100 Pages, Single side B/W printing, Post Process – Left side register binding	Per Register		
79.	LQAS Booklet	Size: A4, Total pages- 16 (12 inner page + 4 cover page), Paper Quality- 70 GSM (Inner) & 80 GSM (Cover), Printing- Both side B/W Inner & Both side Colour Cover Page, Post Process- Zoo stitching	Per Booklet		
80.	Patient Referral cards at PHC & SC Level	Unit- Book let, No of sheets: 50 (50 sheets marked as original + 50 sheets marked as duplicate) with one carbon sheet in each booklet. Printing side- Black, One sheet of booklet shall be printed as “Original” and the next sheet shall be printed as “Duplicate” (for taking carbon copy) and this will be repeated in the remaining sheets of the booklet. Paper Size:- 1/4 demy, Paper – Original Sheet- 80 GSM Maplitho, Brightness- 80 Minimum, Duplicate Sheet (Yellow Colour) – 54 GSM Maplitho), Binding Type- Top pad binding with stapling with 1/2 pound hard board on the back side, Cover page- 1 cover page on the front (80 GSM Maplitho Single sided Black Printing as Patient Referral Card – PHC/Sub-Centre) Perforation: Perforation at the top of the Pad Binding (In original sheet of the booklet only)	Per Booklet		
81.	Flip Book	Unit : Flip Book , Size – 21cm X 29.5cm Total No of Flip Sheet - 15 Sheet, Paper – (Flip Sheets) :- 300 GSM Art paper (Gloss Finish), Brightness:- 80 Minimum, Printing (Flip Sheets) Multi colour both side offset printing, Lamination:- Both side lamination of the flip sheets, Binding:- Wiro Top binding with 20 mm Wiro, Flip Stand cover:- Flip stand cover (1 1/2 pound mill board: 2 nos connected with with each other with base having folding arrangement for hand held as well as table top position) having white Art paper 130 GSM, brightness- 80 minimum pasting with Wiro binding.	Per Book		
82.		Unit : Flip Book , Size – 15cm X 21cm, Total No of Flip Sheet - 15 Sheet, Paper – (Flip Sheets) :- 300 GSM Art paper (Gloss Finish), Brightness:- 80 Minimum, Printing (Flip Sheets) Multi colour both side offset printing, Lamination:- Both side lamination of the flip sheets, Binding:- Wiro Top binding with 20 mm Wiro, Flip Stand cover:- Flip stand cover (1 1/2 pound mill board: 2 nos connected with with each other with base having folding arrangement for hand held as well as table top position) having white Art paper 130 GSM, brightness- 80 minimum pasting with Wiro binding.	Per Book		

83.		<p>Size: 12" x 8"</p> <p>Total No of Flip Sheets: 14 Sheets</p> <p>Paper (Flip Sheets): 300 GSM Art Paper (Gloss Finish), Brightness: 80 (Minimum)</p> <p>Printing (Flip Sheets): Multi Colour both side offset printing</p> <p>Lamination: Both side lamination of the Flip Sheets</p> <p>Binding: Wiro Top Binding with 20 mm Wiro</p> <p>Flip Stand Cover: Flip Stand Cover (1 ½ Pound Mill Board: 2 Nos Connected with each other with base having folding arrangement for hand held as well as table top position) having white Art Paper [130 GSM, Brightness: 80 (min.)] pasting with Wiro binding</p>	Per Book		
84.	Flip Book	<p>Size: 12" x 8"</p> <p>Total No of Flip Sheets: 24 Sheets</p> <p>Paper (Flip Sheets): 300 GSM Art Paper (Gloss Finish), Brightness: 80 (Minimum)</p> <p>Printing (Flip Sheets): Multi Colour both side offset printing</p> <p>Lamination: Both side lamination of the Flip Sheets</p> <p>Binding: Wiro Top Binding with 20 mm Wiro</p> <p>Flip Stand Cover: Flip Stand Cover (1 ½ Pound Mill Board: 2 Nos Connected with each other with base having folding arrangement for hand held as well as table top position) having white Art Paper [130 GSM, Brightness: 80 (min.)] pasting with Wiro binding</p>	Per Book		
85.	NCD Drugs Paper Pouch	<p>Unit :- Envelope, Size :- 4.5" X 9", Paper quality- 90 GSM Maplitho Paper, Brightness :- 77 (Minimum), Multi colour Printing</p>	Per Pouch		
86.	Case Record & Information Sheet for NTCP	<p>Unit - Booklet, Size - 1/4 Demy, Total No. of Pages :- 12 (Inner-8, Cover-4), Paper Quality:- 8 pages- 80 GSM Maplitho Paper, Brightness- 77 (Minimum) 4 pages – 90 GSM Maplitho Paper, Brightness- 77 (Minimum).</p> <p>Printing :- 8 pages- Both side Single Colour Printing & 4 pages – Single side Multicolour Printing, Binding- centre stitching, Perforation- Perforation at middle of 9th page and side with border at 11th page (in 90 GSM Maplitho paper)</p>	Per Booklet		
87.	Wall Hanging Calendar	<p>Paper Size – 30 cm X 45 cm, Paper quality – 170 GSM Art paper, Process – Multi colour offset both side printing, Post Process:- Binding- Wire-O binding including paper, Total 8 pages per calendar.</p>	Per Calendar		
88.	Glow Sign Board	<p>Material – Star back lit Flex, Multi-colour printing & fixing on the Iron frame Box – 18 gauge GI sheet, Back Lid print including electrical quality lighting</p>	Per Square Feet		
89.	Carbonized Prescription Pad	<p>Specifications of prescription pad (without carbon paper) Single side :- 15 cm X 21 cm (14refera). Each set containing two sheets – first sheet of self-carbon material of 80 GSM basis weight (white) suitable for writing an second sheet of self-carbon writing & printing paper 60 GSM Maplitho (yellow), which should carry the impression of writing on the first sheet. The paper sheets shall have printed matter in single colour. Each prescription pad shall contain 100 sets with perforations/adhesive at the pad for easy tear off. Each pad should be tied up with one thick paper board (not less then 300 GSM) of the same size at the pad. The thick paper board shall be used for placing between the prescriptions sets so that while writing a prescription on one set the impression does not go into the next set.</p>	Per Pad		

90.	Lab Reporting Pad	Paper Size :- A4, The paper sheets shall have printed matter in single colour. Each prescription pad shall contain 100 sheets with perforations/ adhesive at the pad for easy tear off. Each pad should be tied up with one thick paper board on face & bottom end (Not less than 300 GSM) of the same size.	Per Pad		
91.	Printed Envelope for X-Ray film	Printing of bright Yellow colour envelope for X-Ray film free size- Film size 10 inch X 12 inch, Paper quality- brightened paper of 130 GSM	Per Envelope		
92.	Printed Envelope for X-Ray film	Printing of bright Yellow colour envelope for X-Ray film free size- Film size 12 inch X 15 inch, Paper quality- brightened paper of 130 GSM	Per Envelope		
93.	Colour Envelope	Size : 15" x 12", Paper : 80 GSM	Per 100 Envelope		
94.		Size : 12" x 12", Paper : 80 GSM	Per 100 Envelope		
95.		Size : 10" x 8", Paper : 80 GSM	Per 100 Envelope		
96.		Size : 6.5" x 8.5", Paper : 80 GSM	Per 100 Envelope		
97.		Size : 12" x 10", Paper : 80 GSM	Per 100 Envelope		
98.		Size – 11 cm X 23 cm, Paper quality – 80 GSM	Per 100 Envelope		
99.	White Envelope	Size – 11 cm X 23 cm, Paper quality – 80 GSM	Per 100 Envelope		
100.	Printed Medicine Pouch/Envelope	Multi-colour printed medicine Pouch/Envelope for dispensing medicines, Size 10 cm X 18 cm, Paper quality-70 GSM	Per Pouch		
101.	Printed Medicine Pouch/Envelope	Single colour printed medicine Pouch/Envelope for dispensing medicines, Size 10" X 4", Paper quality-90 GSM	Per Pouch		
102.	Patient File	Open Size – 56 cm X 35 cm, Close size – 28 cm X 35 cm, Single fold, Printable area – front page single side. Paper quality -170 GSM brightening yellow colour paper, Post Process : i-led punching at the top left corner of the file	Per File		
103.	Office Folder File	File size:- 55 cm X 35 cm, Paper quality – 400 GSM laminated, single side print, Inner side cloth patching, Post Process:- 2 fold, 1 st fold at 25 cm from left, 2 nd fold 5 cm from right, iled punching at the top left corner of the folder	Per File		
104.	Paper Sticker	Sticker size – 14 cm X 22cm, Paper quality – 90 GSM Sticker Paper with multi-colour printing.	Per Sticker		
105.		Sticker size – 28 cm X 44cm, Paper quality – 90 GSM Sticker Paper with multi-colour printing.	Per Sticker		
106.		Sticker size – 44 cm X 56 cm, Paper quality – 90 GSM Sticker Paper with multi-colour printing.	Per Sticker		
107.	Vinyl Sticker	Eco solvent vinyl sticker 130 GSM	Per Square Feet		
108.	Radium Sticker	Radium sticker 250 GSM	Per Square Feet		
109.	Exhibit/Standee	Multi-colour flex printing and pasting in 1 inch iron square bar frame with supporting bar and stand.	Per Square Feet		
110.	Dynamic Steel/Aluminium frame wide base Standee	Size : 6ft X 3ft Frame: Aluminium frame with wide base (reusable) Multi Colour fabric media printing with mounting	Per standee		
111.	Printing of Flex Banner	Flex banner printing, Quality:- 240 GSM & four punch holes in each corner of the banner	Per Square Feet		

112.	Printing of Fabric Banner	Fabric banner printing, Quality:- 240 GSM & four punch holes in each corner of the banner	Per Square Feet		
113.	Change of Flex in Hoarding	Multi-colour CMYK(4 colour) flex printing in 250 GSM STAR flex & Fitting on the hoardings of Health institutions at Block and District	Per Square Feet		
114.	Change of Fabric Cloth in Hoarding	Multi-colour CMYK(4 colour) fabric cloth printing in 250 GSM STAR flex & Fitting on the hoardings of Health institutions at Block and District	Per Square Feet		
115.	Tabulex/ Rath/ Caravan/ Vehicle Decoration (TATA ACE)	Printing of multi-colour flex banner and pasting with 1 inches iron bar frame in all 4 sides in temple model with flower decoration (Vehicle both Side- 8ftx6ft, Vehicle back side- 5ftx6ft, vehicle front- 5ftx2.5ft , top 5ftx2.5ft & top side 10ft long temple model)	Per Vehicle		
116.	Wall Painting at Village & Health Institutions	Multi-colour wall painting to be done after double coating of good quality white enamel paint over wall there after designing with Art work and letter (Odia & English). Paint of reputed manufacturer to be used.	Per Square Feet		
117.	Branding & Mounting of IEC materials at Health Institutions	Materials to be used:- 6 mm thickness Sun Board Printing Process- Eco Solvent Vinyl Print and mounting with steel stud in 4 corners at Health Institutions of Angul District (Including fitting charges)	Per Square Feet		
118.	Sun Board	Sun board vinyl pasted exhibits, 6mm thickness sun board & multi color printing, Eco solvent vinyl printing & pasting with 4 color processing	Per Square Feet		
119.		Sun board vinyl pasted exhibits, 3mm thickness sun board & multi color printing, Eco solvent vinyl printing & pasting with 4 color processing	Per Square Feet		
120.		Base Sheet -4 mm thickness Acrylic sheet Printing Process – Radium Stickers on board	Per Square Feet		
121.	Acrylic Signage	Base sheet: imported acrylic sheet size (3x2) ft & 4mm thickness, Topping sheet: imported acrylic sheet size (3x2) ft. & 3 mm thickness, Fitting type:- wall mount by stainless steel stud (all 4 corners)	Per Signage		
122.		Base Sheet -4 mm thickness Acrylic sheet Printing Process – Eco solvent Vinyl Sticker on board	Per Square Feet		
123.	White Board	White Board with aluminium frame, best quality white surface material to be used for training purpose	Per Square Feet		
124.		White Board with aluminium frame printed with Eco Solvent Vinyl sticker, best quality white surface material to be used	Per Square Feet		
125.	Directional Steel Signage Double Stand	Material to be used:- JOIST :-2 inches diameter round/square steel pipe of size – 11 ft height with top cap – 2 nos Display area: 4 ft x 3 ft in 1 inch steel square bar and top cover steel sheet of 16 gauge to be fitted with joist, display area with both side radium stickering (Inclusive of installation charges at health institutions in district) below ground 2 ft, Structure of hoarding will be of 5 feet height from ground level.	Per Piece		
126.	Directional Steel Signage Single Stand	Material to be used:- JOIST :-2 inches diameter round/square steel pipe of size – 8 ft height with top cap – 1 no. Display area: 1.5 ft x 2 ft in 1 inch steel square bar and top cover steel sheet of 16 gauge to be fitted with joist, display area with both side radium stickering (Inclusive of installation charges at health institutions in district) below ground 2 ft, Structure of hoarding will be of 4 feet height from ground level.	Per Piece		

127.	CANOPY/KIOSK	Canopy size – 6ft X 6 ft X 7 ft size including supply of Fabric Banner for 4 sides, iron frame with fitting.	Per Canopy		
128.	Tin Plate	Size: 90cm X 60cm with branding	Per Plate		
129.	Erection of Hoarding at strategic locations in the District & Blocks (Including all cost of Installation)	<u>Specification & Structure (Attached Photo)</u> Hoarding size (Display area) 16 ft X 8 ft, Good Quality of surface angle frame to be used. <ul style="list-style-type: none"> ● Joist - 5 inches X 2.5 inches ● Angle - 3 inches X 3 inches ● Angle - 2 inches X 2 inches ● 3 feet deep concrete on each pole of the board along with supporting iron angle. ● Frame should be made from Iron Angle ● 250 GSM Fabric cloth banner to be display with digital multicolour printing on hoarding ● Fabric cloth should be pocketed & fixed by iron pipes & GI Wire ● Structure of the hoarding will be of 5 feet height from the ground level. 	Per Hoarding		
130.		<u>Specification & Structure (Attached Photo)</u> Hoarding size (Display area) 20 ft X 10 ft, Good Quality of surface angle frame to be used. <ul style="list-style-type: none"> ● Joist - 5 inches X 2.5 inches ● Angle - 3 inches X 3 inches ● Angle - 2 inches X 2 inches ● 3 feet deep concrete on each pole of the board along with supporting iron angle. ● Frame should be made from Iron Angle ● 250 GSM Fabric cloth banner to be display with digital multicolour printing on hoarding ● Fabric cloth should be pocketed & fixed by iron pipes & GI Wire ● Structure of the hoarding will be of 5 feet height from the ground level. 	Per Hoarding		
131.		<u>Specification & Structure (Attached Photo)</u> Hoarding size (Display area) 15 ft X 30 ft, Good Quality of surface angle frame to be used. <ul style="list-style-type: none"> ● Joist - 5 inches X 2.5 inches ● Angle - 3 inches X 3 inches ● Angle - 2 inches X 2 inches ● 3 feet deep concrete on each pole of the board along with supporting iron angle. ● Frame should be made from Iron Angle ● 250 GSM Fabric cloth banner to be display with digital multicolour printing on hoarding ● Fabric cloth should be pocketed & fixed by iron pipes & GI Wire ● Structure of the hoarding will be of 5 feet height from the ground level. 	Per Hoarding		

132.		<p><u>Specification & Structure (Attached Photo)</u> Hoarding size (Display area) 12 ft X 5 ft, Good Quality of surface angle frame to be used.</p> <ul style="list-style-type: none"> ● Joist - 5 inches X 2.5 inches ● Angle - 3 inches X 3 inches ● Angle - 2 inches X 2 inches ● 3 feet deep concrete on each pole of the board along with supporting iron angle. ● Frame should be made from Iron Angle ● 250 GSM Fabric cloth banner to be display with digital multicolour printing on hoarding ● Fabric cloth should be pocketed & fixed by iron pipes & GI Wire ● Structure of the hoarding will be of 5 feet height from the ground level. 	Per Hoarding		
133.	Erection of Hoarding at strategic locations in the District & Block (Including all cost of Installation)	<p><u>Specification & Structure (Attached Photo)</u> Hoarding size (Display area) 10 ft X 6 ft, Good Quality of surface angle frame to be used.</p> <ul style="list-style-type: none"> ● Joist - 5 inches X 2.5 inches ● Angle - 3 inches X 3 inches ● Angle - 2 inches X 2 inches ● 3 feet deep concrete on each pole of the board along with supporting iron angle. ● Frame should be made from Iron Angle ● 250 GSM Fabric cloth banner to be display with digital multicolour printing on hoarding ● Fabric cloth should be pocketed & fixed by iron pipes & GI Wire ● Structure of the hoarding will be of 5 feet height from the ground level. 	Per Hoarding		
134.		<p><u>Specification & Structure</u> Size of the Display area in hoarding – 6 ft X 3 ft Display material – Preferably 18 gauge printed or painted Tin Plate. Total Height from inside the ground – 10 ft L Iron angle (2 inches L iron angle should be used)</p> <ul style="list-style-type: none"> ● Base (inside ground) 2 feet inside cement concrete ● Above ground (ground to top) – 8 ft. ● Length – 6 ft iron angle (2 inches L Iron angle should be used) ● Mid Joist Bar to support display material – 3 ft L iron angle (2 inch L iron angle should be used) 	Per Hoarding		
135.		<p><u>Specification & Structure</u> Size of Display area in the hoarding 4ft X 3 ft. Display material – 18 preferably 18 gauge printed or painted Tin Plate. Total Height from inside the ground – 10 ft L Iron angle (2" L Iron angle should be used)</p> <ul style="list-style-type: none"> ● Base (Inside ground) -2 ft inside cement concrete ● Above Ground (ground to top) 8 ft ● Length – 4 ft L iron angle (2" L Iron angle should be used) ● Mid Joist bar to support display material – 3 ft L Iron angle (2" L Iron angle should be used) 	Per Hoarding		
136.	Emergency LED sign board	Material – Acrylic, Designed type customised, Voltage-240 V, Frequency- 50 Hz, Installation wall mounting, Multi colour letter, at least clear visibility from 200 meters, Water proof, Maintenance warranty- 2 years.	Per sq. ft.		

137.	Room Signage	P-Shape, wall hanging signage, signage replaceable when needed, Material to be used – 1 inch Steel square bar, display material:- 4 mm Acrylic sheet inside the frame with radium stickering both side. Display area size – 18” X 9”	Per Piece		
138.	MCP Card	Paper size -27 cm x 34 cm, Paper quality – 220 GSM Art Paper, Total Pages – 5 sheets, Multi-colour printing both side, Post Process:- Single middle fold and to be stappled (3 nos) in the middle, resulting 40 pages finally	Per Card		
139.	Display Board	Size-3’ X 2’, 20 gauze square bar, cotton fabric banner pasting with fitting.			
140.	Welcome Board of MAS	MAS Welcome Board: 2 ft X 1 ft size Printed 1mm thick tin sheet or 1 mm thick Tin sheet pasted with Matt laminated printed vinyl for longevity with frame of 1”x1” L angle MS rod fixed with 2 legs 2”x2” L angle MS rod of height 4.5 ft out of which 1ft to be inside ground with concrete reinforcements. All fixing of the display board should be done by applying welding for strength and longevity.	Per Piece		
141.	DAMaN Register	10 pages both side with 300 GSM cover, A3 Size	Per Register		
142.	M/M1/M2/M3/M4/SSLR/SSMR (MALARIA) register/ DPMR Registers/Disability Register/Reaction Register/Village Survey Register/Suspect Register (NLEP)	Unit- 100 pages book, Size- A3, Binding- Both sides Hard Board Binding, Printing- Single side Print, Color- Black & White, Paper: 80 GSM	Per Register		
143.	Family Register (Fileria)	Unit- 20 pages book, Size- A5, Binding- Both sides thick Binding, Printing- both side Print, Color- Black & White, Paper: 80 GSM			
144.	Pocket IEC Manual (Flyer)	A5 size, 220 GSM Art paper, Printing process: Multicolour both side printing, Post Process: Folded.	Per Manual		
145.	Flipbook for MAS, ASHA & Other FLWs	Size : 30 cm X 20 cm Pages : 50 pages (25 sheets) (Tentative) Paper : 300 GSM Art paper Printing: Multi colour Binding: - Wire-O binding - Inner pages both side glossy lamination Table Stand: 28 no. mill board with 130 GSM art paper cover pasting	Per Flipbook		
146.	ASHA Module Book for Elderly Care	Size: A4, Total pages- 40 (36 inner page + 4 cover page), Paper Quality- 70 GSM (Inner) & 80 GSM (Cover), Printing- Both side B/W Inner & Both side Colour Cover Page, Post Process- Stapling	Per Book		
147.	ASHA Module Book for Palliative Care	Size: A4, Total pages- 64 (60 inner page + 4 cover page), Paper Quality- 70 GSM (Inner) & 80 GSM (Cover), Printing- Both side B/W Inner & Both side Colour Cover Page, Post Process- Stapling			
148.	Printing of Health Calendar with lamination under NUHM	a. Size- 11.5 inch X 18 inch (Half Demy) b. Paper – 130 GSM Art Paper c. Process – Multicolour offset printing d. Binding – Wire-O binding including hanger e. No of sheets: 7 sheets (14 pages) both side printing f. Lamination: 8 pages glossy lamination	Per Calendar		
149.	Printing of Health Calendar without lamination	a. Size- 11.5 inch X 18 inch (Half Demy) b. Paper – 130 GSM Art Paper c. Process – Multicolour offset printing d. Binding – Wire-O binding including hanger e. No of sheets: 7 sheets (14 pages) both side printing	Per Calendar		

150.	Retro signage for UHND & RI Points	Board Size:1.5ft height x1ft Width Providing, fitting, fixing up signages using upper high efficiency full cube Retro-reflective sheeting of white colour bonded on to 2 mm tin sheet over which alphabets and numerical are printed using OEM matched component inks and UV laminated with OEM approved over laminates.	Per Sq. ft		
151.	Installation of Retro-Hoarding @ Rs.20,000/- per Hoarding	Board Size:4ft height x3ft Width Providing, fitting, fixing up informative boards using upper high efficiency full cube Retro-reflective sheeting of white colour bonded on to 4mm aluminium sheet / ACP (0.25 +3.50+0.25-pdvf coated) over which alphabets and numerical are printed using OEM matched component inks and UV laminated with OEM approved over laminates (covers 3 years warranty from the date of manufacturing on colour fading , peel off) The board shall be provided with frame made out of 202 grade stainless pipes shall be mounted on two vertical posts made out of 50mm NB stainless pipe as have been installed including concreting / reveling reinforcement etc. The height of this post should be 10ft in which 1.5ft under the ground, rest will visible above of the ground. Fixing of the board including cost of the materials, conveyance, labour, transportation etc. required for the work.	Per hoarding		
152.	Branding of vehicle	With Eco solvent printing on vinyl substance with stickering provision for sharper image quality. Multi colour stickering to be made as per sample graphics provided.	Per sq. ft.		
153.	Register	Paper size – 30cmX20cm, Total pages- 150 (146 inner + 4 cover page) Paper quality – Inner page – 70 GSM, size- A/4, inner printing- black & white, Cover page- size- A/4, multicolour printing, Post process:- binding with hard card board and cloth	Per Register		
154.		Paper size – 30cmX20cm, Total pages- 200 (196 inner + 4 cover page) Paper quality – Inner page – 70 GSM, size- A/4, inner printing- black & white, Cover page- size- A/4, multicolour printing, Post process:- binding with hard card board and cloth	Per Register		
155.		Paper size – 32cmX20cm, Inner Page-100 sheets, Paper quality – Inner page – 70 GSM, inner printing- black & white both side, Post process:- binding with hard card board and cloth	Per Register		
156.		Paper size – A3, Inner Page-100 sheets, Paper quality – Inner page – 95 GSM map litho, inner printing- black & white both side, Post process:- binding with hard card board and binding gutter on left side	Per Register		
157.		Paper size – A4, Inner Page-200 sheets, Paper quality – Inner page – 95 GSM map litho, inner printing- black & white both side, Post process:- binding with hard card board and binding gutter on top, perfect sewing	Per Register		
158.		Paper size – 20cmX30cm, Total pages- 88 (84 inner + 4 cover page) Paper quality – Inner page – 70 GSM, Cover page-70 GSM map litho, inner printing- black & white both side, Cover printing- multicolour, Post process:- front & back binding with thick hard card board and cloth, zoo stitching at left side of the register	Per Register		
159.		Paper size – A3, Inner Page-100 sheets, Paper quality – Inner page – 70 GSM, inner printing- black & white single side, Cover printing- multicolour, Post process:- both side binding with thick hard card board	Per Register		
160.		Paper size – A5, Inner Page-20 sheets, Paper quality – Inner page – 70 GSM, inner printing- black & white both side, Cover printing- multicolour, Post process:- both side binding with thick hard card board	Per Register		

161.	Certificate	Paper size-A4, Paper quality 220 GSM, Multi colour printing	Per Certificate		
162.	Stickering	Radium Stickering	Per sq. ft.		
163.		Vinyl Stickering	Per sq. ft.		
164.	Receipt Book	22 cm X 14 cm, Duplicate with Receipt Number and Cover Binding, Total pages=100 sheet (50 original + 50 duplicate), Paper quality -70 GSM	Per book		
165.	Challan Book	19 cm X 22 cm, Duplicate with Serial Number and book number, Cover Binding, Total pages=100 sheet (50 original + 50 duplicate), Paper quality -70 GSM	Per book		
166.	HBYC Pad	Paper size - A4, Total no of pages - 34 (15 inner pages original (white paper) and 15 inner pages duplicate (yellow paper) + 4 cover pages) Black & white single side printing (perforated) Paper quality - cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding	Per Pad		
167.	CBAC Form	Paper size- A4, Quality -80 GSM, Printing- Both side B/W, 100 pages top pad binding	Per Pad		
168.	EPS Training Module Book	Paper size - 32 cm X 24 cm, Total no of pages - 54 (50 inner pages (Black & white both side printing) + 4 cover pages(Multi colour) Paper quality - cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding	Per book		
169.		Paper size - 32 cm X 24 cm, Total no of pages - 74 (70 inner pages (Black & white both side printing) + 4 cover pages(Multi colour) Paper quality - cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding	Per book		
170.	Album of RBSK	Success Story (Children under RBSK)- Multi Colour Printing on photo paper, Size-A4 size	Per Copy		
171.	Patient In door & Outdoor Register	Paper size - 55 cm X 39.5 cm, Both side landscape printing, Paper quality - 40- 50 GSM, Post Process :- Landscape binding with 170 GSM paper on the top hand and hard card board on the bottom end of the register.	Per register		
172.	Invitation Card	Paper size - 14 cm X 22 cm, Paper quality - 70 GSM Art paper, Both side multi-colour printing	Per card		
173.	Identity Card	10 cm X 6 cm, Multi colour printing	Per Card		
174.	Badge	4 cm diameter (220 GSM Art paper) & outer ring with Ribbon	Per Badge		
175.	ABHA Card	12 cm X 9 cm (220 GSM Art Paper)	Per card		
176.	Pushing Card	Size- 12cmX9cm, Type-300 GSM Art paper, Single side with multi colour printing	Per card		
177.		Size- 12cmX9cm, Type-300 GSM Art paper, Single side with B/W printing	Per card		
178.	Health Card	Size: 1/4 Demy, Type- 70 GSM, Single Side with B/W printing	Per card		
179.	Individual Health Cards (NCD)	Size: Demy 1/4, 70 GSM, Landscape Mode, Single Colour, Normal Paper Single Side Printing in Odia Language	Per card		
180.	NTEP TB Treatment ID Card	Size: A5 Type of paper : 300 GSM Printing: Black and white; both side; portrait	Per card		
181.	NTEP request form for examination of Biological Specimen for TB	Size: A4 Unit: 100 pages Pad Type of paper: 70 GSM Printing: Black and white; both side; portrait	Per Pad		
182.	TB Treatment card	Size: A4, Type: 300 GSM, Both side with B/W printing	Per card		
183.	NTEP PMDT Treatment Card	Size: A3 Type of paper : 300 GSM Paper Printing: Black and white; single side; landscape Binding: Centre folding with binding & Belt	Per card		
184.	On site check list form (100 pages)	Size: A4 Type of paper: 70 GSM Printing: Black and white; both side; portrait	Per Pad		

185.	PHI referral form (100 pages)	Size: A4 size, Landscape Type of paper : 50 GSM Printing: Black and white; single side; landscape Two Perforated Line (vertical)	Per Pad		
186.	ID Card for TB Champion	Size- 3" X 2", Plastic Card with quality lace, Single side with multi colour printing	Per card		
187.	TB Notification Register (100 pages)	Size: A3 size Cover: 300 GSM Hard binding with red cloth/rexin corners with end leaves Inside: 95 GSM map litho Printing: Black and white; both side; landscape Binding: Good quality hard board register binding; binding gutter on left side; Perfect sewn Fabrication: Rows of the table on the left side of the page should be aligned with the rows of the table on the right hand side No. of Pages: 101 sheets (with number)	Per Register		
188.	NTEP PMDT Treatment Register (100 pages)	Size: A3 size Cover: 300 GSM Hard binding with red cloth/rexin corners with end leaves Inside: 95 GSM map litho Printing: Black and white; both side; landscape Binding: Good quality hard board register binding; binding gutter on left side; Perfect sewn Fabrication: Rows of the table on the left side of the page should be aligned with the rows of the table on the right hand side No. of Pages: 101 sheets (with number)	Per Register		
189.	TB laboratory register (200 pages)	Size: A4 size Cover: 300 GSM Hard binding with red cloth/rexin corners with end leaves Inside : 95 GSM map litho paper Printing: Black and white; both side; landscape Binding: Good quality hard board register binding; binding gutter on top; Perfect sewn No. of Pages: 151 sheets (with number)	Per Register		
190.	NTEP laboratory register for Culture, CBNAAT & DST Register (100 pages)	Size: A3 size Cover: 300 GSM Hard binding with red cloth/rexin corners with end leaves Inside: 95 GSM map litho Printing: Black and white; both side; landscape Binding: Good quality hard board register binding; binding gutter on left side; Perfect sewn Fabrication: Rows of the table on the left side of the page should be aligned with the rows of the table on the right hand side No. of Pages: 101 sheets (with number)	Per Register		
191.	DRTB counselling register (100 pages)	Size: A3 size Cover: 300 GSM Hard binding with red cloth/rexin corners with end leaves Inside: 95 GSM map litho Printing: Black and white; both side; landscape Binding: Good quality hard board register binding; binding gutter on left side; Perfect sewn Fabrication: Rows of the table on the left side of the page should be aligned with the rows of the table on the right hand side No. of Pages: 101 sheets (with number)	Per Register		

192.	Stock report for stocks & indenting of PMDT at TU to be submitted to DDS for monthly basis (100 pages)	Size: A4 Type of paper: 70 GSM Printing: Black and white; both side; portrait	Per Register		
193.	Drug stock register (100 pages)	Size: A3 size Cover: 300 GSM Hard binding with red cloth/rexin corners with end leaves Inside: 95 GSM map litho Printing: Black and white; both side; landscape Binding: Good quality hard board register binding; binding gutter on left side; Perfect sewn Fabrication: Rows of the table on the left side of the page should be aligned with the rows of the table on the right hand side No. of Pages: 101 sheets (with number)	Per Register		
194.	Lab stock register (100 pages)	Size: A3 size Cover: 300 GSM Hard binding with red cloth/rexin corners with end leaves Inside: 95 GSM map litho Printing: Black and white; both side; landscape Binding: Good quality hard board register binding; binding gutter on left side; Perfect sewn Fabrication: Rows of the table on the left side of the page should be aligned with the rows of the table on the right hand side No. of Pages: 101 sheets (with number)	Per Register		
195.	Chemist notification format / TB notification reporting format for medical practitioners (100 pages)	Size: A4 size, Landscape Type of paper : 50 GSM Printing: Black and white; single side; landscape Two Perforated Line (vertical)	Per Pad		
196.	Microscope log book(10B) / Annexure-B/ TB-HIV & DM monthly reporting format (100 pages)	Size: A4 Type of paper: 70 GSM Printing: Black and white; both side; portrait	Per Pad		
197.	Intimation Slip	Size: Post Card, Type: 54 GSM, Single side with B/W printing, 100 pages book with pad binding	Per Pad		
198.	Referral Slip for ASHA	Size: A4, Type: 70GSM, Single Side with B/W printing landscape two perforated line (vertical), 100 pages book with pad binding	Per Pad		
199.	Follow-up Slip for ASHA	Size: A4, Type: 70GSM, Single Side with B/W printing, 100 pages book with pad binding	Per Pad		
200.	Xerox (B/W)	Single Side (A4)	Per Page		
201.		Single Side (A3)	Per Page		
202.		Both Side (A4)	Per Page		
203.		Both Side (A3)	Per Page		
204.	Xerox (Color)	Single Side (A4)	Per Page		
205.		Single Side (A3)	Per Page		
206.		Both Side (A4)	Per Page		
207.		Both Side (A3)	Per Page		
208.	HMIS Format	Paper size_A4, 144 inner pages (single Size printing, 70 GSM white maplitho paper , side pad binding printed cover page of 70 GSM (6 page reporting 6 page carbonated for institution) per Sub-center/PHC/CHC/SDH/DHH X 12 months	Per Booklet		
209.	Gentamicin Treatment Card	Size: 17 cm x 28 cm, Printing Type: Both sided Multi-colour offset printing, Paper Quality: 250 GSM Art Paper (Matt Finish), Brightness: 80 (Min.)	Per Card		

210.		Form 1 Unit : Booklet, Size : ¼ Demy, No. of sheets : 50, Paper: 80 GSM Maplitho, Brightness : 77 (Min.), Printing; Both side Black offset printing, Binding : Top Pad binding with hard straw board (2 mm) on back side	Per Booklet		
211.		Form 2 (1st Brief Investigation Report for ANMs) Unit : Forms, Size : ¼ Demy, Pages : 4, Paper: 80 GSM, Maplitho, Brightness : 77 (Min.), Printing; Both side Black offset printing, Binding : One folding at the middle	Per Booklet		
212.	Child Death Review Form	Form 3a (Verbal Autopsy Form : Neonatal Deaths) Unit : Forms, Size : ¼ Demy, Pages : 6, Paper: 80 GSM Maplitho, Brightness : 77 (Min.), Printing; Both side Black offset printing, Binding : Side stapling (2 nos. side stapling)	Per Booklet		
213.		Form 3b (Verbal Autopsy Form : Post Neonatal Deaths) Unit : Forms, Size : ¼ Demy, Pages : 6, Paper: 80 GSM Maplitho, Brightness : 77 (Min.), Printing; Both side Black offset printing, Binding : Side stapling (2 nos. side stapling)	Per Booklet		
214.		Form 3c (Social Autopsy Form) Unit : Forms, Size : ¼ Demy, Pages : 4 Paper: 80 GSM Maplitho, Brightness : 77 (Min.), Printing; Both side Black offset printing, Binding : One folding at the middle	Per Booklet		
215.		Form 4a (Facility based Neonatal Death Review Form) Unit : Forms, Size : ¼ Demy, Pages : 6, Paper: 80 GSM Maplitho, Brightness : 77 (Min.), Printing; Both side Black offset printing, Binding : Side stapling (2 nos. side stapling)	Per Booklet		
216.		Form 4b (Facility based Post Neonatal Death Review Form) Unit : Forms, Size : ¼ Demy, Pages : 6, Paper: 80 GSM Maplitho, Brightness : 77 (Min.), Printing; Both side Black offset printing, Binding : Side stapling (2 nos. side stapling)	Per Booklet		
217.	Delivery Case Sheet	Paper Size- 44cm X 28cm, Total Pages-14 sheets, Paper Quality- 60GSM Maplitho Paper bright white, Printing-B&W both side, Post Process: Single fold & stapling in the middle of the booklet page wise, resulting to 27 pages of 22 cm X 28cm Booklet	Per Booklet		
218.	NBSU Case Sheet docket folder Set	Each NBSU case sheet docket folder Set shall contain the following five items : NBSU Docket Folder with Pocket Unit: 1 No. Size : 9.6" x 12" (Folding size) Pages : 4 + inside 1 Pocket Paper : 350 GSM Art Paper (Gloss Finish), Brightness : 80 (Minimum) Printing : Multi Colour offset printing [(Front & Back of the folder) and on Pocket[Folding & Pasting : One Pocket (12 x 24 cm.) pasting to contain 9-10 nos. Sheets Discharge Card Unit : 1 No. Size : 8.5" x 11" (Folding Size) Pages : 4 Paper : 120 GSM Maplitho ,Brightness : 77 (Min.)	Per Docket Folder		

	<p>Printing : Both side Multi Colour offset printing Folding : One Fold Neonatal Case Record Sheet Unit : 1 No. Size : 8.5" x 11" (Folding Size) Pages : 4 Paper : 120 GSM Maplitho ,Brightness : 77 (Min.) Printing : Both side Multi Colour offset printing Folding : One Fold Treatment Continuation & clinical & condition record Sheet Unit : 3 No. Size : 8.5" x 11" Pages : 2 Pages back to back Paper : 90 GSM Maplitho ,Brightness : 77 (Min.) Printing : Bi Colour offset printing Monitoring & Nurses Order Sheet Unit : 1 No. Size : 8.5" x 11" Pages : 2 Pages back to back Paper : 90 GSM Maplitho ,Brightness : 77 (Min.) Printing : Bi Colour offset printing</p>		
--	--	--	--

Place :
Date :

Seal & Signature of authorised Signatory
Mobile No: